

Advanced Technology
SMART MONITORING



AVEEN C 10

Outdoor Fixed LED Display

AVEEN C 10

Outdoor Fixed LED Display



Advanced Technology **SMART MONITORING**

Outdoor Fixed LED Display

- Outdoor LED Panels
- Light, Thin and Convenient; Easy delivery and installation:
- Panel thickness: 106mm, Panel weight: 21kg
- Front and Rear Servicing
- Waterproof Module
- Fully enclosed structure with rubber gasket and waterproof module seals off the electronic components from moisture.

Light, Thin, Convenient


Panel thickness: 106mm. Saves installation space, Panel weight: 21kg. Easy delivery and installation.

Waterproof Module

Fully enclosed structure with rubber gasket and waterproof module seals off the electronic components from moisture; Only 4 PCS screws allow for easy installation and disassembly.

Smart Module , Master Record

Smart module display the ID number, order number, production date, working time, module current, color oordinates, module voltage and module temperature.




Aveen C10 smart module display the ID number, order number, production date, working time, module current, color oordinates, module voltage and module temperature.

Specifications:



General Specifications

AVEEN C 10

Model	C 10
LED Type	SMD2727
Pixel Pitch (mm)	10
Panel Dimensions (WxHxD)/(mm)	640×960×106
Pixel Per Panel	64×96
Panel Weight (kg)	21
Panel Material	Aluminum
Module Dimensions (WxH)/(mm)	320×320
Brightness (nit)	6000
Contrast Ratio	6500:1
Refresh Rate (Hz)	3840
Gray scale (bit)	16
Color Temperature (K)	7500
Viewing Angle (H/V) (°)	140/120
Driving Type	1/2
AC Operating Voltage (V)	100~240
Power Consumption (Max./Avg.)(W/m²)	660/220
Storage Temperature (°C)	- 40~ + 60
Operating Temperature (°C)	- 20~ + 50
Storage Humidity (RH)	10 % ~90 %
Operating Humidity (RH)	10 % ~90 %
IP Rating (Front/Rear)	IP65 / IP54
LED Lifetime (H)	100000
Module Maintenance	Front/Rear



Panel



Head Quarters

Address : Keizersgracht 241, 1016 EA Amsterdam
Tel # +31202612885

Contact:

Email : info@aveenbv.com
: sales@aveenbv.com
: support@aveenbv.com

