

Indoor & Outdoor

Rental Curtain Display

AVEEN E 7.5

Fixed LED Display

AVEEN E 7.5

Fixed LED Display



Indoor & Outdoor


Rental Display

Indoor and Outdoor Mesh

- Indoor & Outdoor curtain display
- Significantly high contrast ratio
- High gray scale and refresh rate
- Floor and column installation
- Easy to transport & install.
- Easy for maintenance


Auto-lock System

Auto-lock system makes faster installation and disassembling



High Contrast Ratio, Crystal clear performance

Innovative mask design, with 3535 black body SMD, improve the contrast ratio significantly.



Light Permeable Design

20% lighter than similar products, allowing both audio and smoke spread without block.



Specifications:


General Specifications

AVEEN E 7.5

Model	E 7.5
LED Type	3535 3in1 SMD
Pixel Pitch (mm)	7.5
Panel Dimensions (WxHxD)/(mm)	600×600×117
Pixel Per Panel	80×80
Panel Weight (kg)	11
Panel Material	Diecasting Aluminum
Module Dimensions (LxWxH)/(mm)	600×75×23
Brightness (nit)	6000
Color Contrast	5000:01:00
Refresh Rate (Hz)	1920
Gray scale (bit)	16
Color Temperature (K)	7500
Viewing Angle (H/V) (°)	140/90
Driving Type	1/5
AC Operating Voltage (V)	100~240
Power Consumption (Max./Avg.)(W/m²)	792/265
Storage Temperature (°C)	- 40~ + 60
Operating Temperature (°C)	- 20~ + 50
Storage Humidity (RH)	10 % ~90 %
Operating Humidity (RH)	10 % ~90 %
IP Rating (Front/Rear)	IP65/IP54
LED Lifetime (H)	100000
Module Maintenance	Front

Sub-frame structure, Portable design

Standard 4in1 sub-frame structure, portable design, not only Pt fast installation and transportation requirement but can also be used as a climbing tool.



Head Quarters

Address : Keizersgracht 241, 1016 EA Amsterdam
Tel # +31202612885

Contact:

Email : info@aveenbv.com
: sales@aveenbv.com
: support@aveenbv.com