AVeen Advertising & Digital Signage Solutions

Advertising & Digital Signage

Enhance your advertising message with LED displays

- Tailor your message to different audiences and times
- Create high impact visual experience for your advertisements
- Provide advertising to multiple clients per day
- Remotely control and monitor the screen
- Maximum screen brightness with low power consumption

Advertising

- **AVeen** state of art LED Displays is a perfect choise for avertising
- Indoor and outdoor applications
- Variable shape and size

Digital Signage

- **AVeen** Displays help Delevering the targeted message with high quality video, images and text
- An Elegant apperance
- Variable Size
- Integrated design, with a floor stand

The AVeen Advantage

- Solutions from an international sales team that understands your needs.
- A nationwide service and support team available 24/7.

Advertising & Digital Signage

Advertising Solutions

Indoor - SPF Series

Outdoor - C Series

Indoor - SF Series

Indoor - SR Series

Architectural LED - E- Series

Advertising & Digital Signage

Indoor - SPF Series

The Evolution of Mobile LED

- High refresh rate and High grayscale
- High Display Performance
- High refresh rate, low brightness with high grayscale
- Easy and quick installation
- Easy and quick front maintenance

Display Performance

No ghost images or banding problems, high refresh rate, low brightness with high grayscale, highlighting excellent display effect.

Revolutionary Picture

Sharp color & brightness uniformity

Wide horizontal & vertical viewing angle

MODELS

SPF 2.97

Pixel Pitch 2.97 mm

SPF 3.47

Pixel Pitch 3.47 mm

Advertising & Digital Signage

Indoor - SPF Series

Advertising & Digital Signage

Outdoor - C Series

Smaller, Slimmer and Built For The Future

- SMD chips for outdoor permanent install with smaller pixel pitch for signs and billboards
- Tough weather resistant design with fully sealed modules and power supply
- Super light aluminium cabinet made 33%
- Real-Time wireless feedback on temperature, humidity and operations

Revolutionary SMD Design

- Closer viewing distance
- Wide viewing angle
- Front or rear serviceable

Integrated Power and Data Core

- Smart receiving technology
- Ribbonless module plug-ins
- All-in-One power and data access box

MODELS

C6.66

Pixel Pitch 6.66 mm

C10.66

Pixel Pitch 10.66 mm

C10

Pixel Pitch 10 mm

C16

Pixel Pitch 16 mm

Advertising & Digital Signage

Outdoor - C Series

Advertising & Digital Signage

Indoor - SF Series

The closest wall mounted indoor LED

- Front-access, slim design and high display performance.
- The total depth of screen and steel frame is only 150mm. Thin and light panel design keeps steel frame and installation environment requirement minimal. Noise free design and low power consumption.
- Thin Panel Design
- 16 kg panel weight and 85 mm panel depth.
- Front-access, Easy Maintenance
- Module, power supply and receiving card accessible from the front

Front installation design, cat walk space free

Whole LED screen can be installed in front, the first cat walk free solution, the display can be close mounted into the wall. The whole screen (including the frame) thickness is only 150mm.

Low brightness with high-gray scale

20% brightness still keeps a good gray scale performance.

MODELS



SF 3.9

Pixel Pitch 3.9 mm

SF 5.2

Pixel Pitch 5.2 mm

SF 6.25

Pixel Pitch 6.25 mm

Advertising & Digital Signage

Indoor - SF Series

Advertising & Digital Signage

Indoor - SR Series

Creative Flat TV design

- Creative design
- Slim and Light , makes installation easier and increase the utilization of the space.
- Reliable and convenient
- Star connection for power and signals; to minimizes failure
- Easy and fast installation
- Front and Rear Maintenance

Intelligent monitoring, real time feedback

- Monitor without card, fewer cables and fault points.
- Real-time monitor work status, immediately email when malfunction, which reduces response time and cost for troubleshooting.
- Monitoring via PC, Tablet, mobile phone are available.

Intelligent monitoring, real time feedback

- Star connection for power and signals, which minimizes damage.
- External test button, convenient for inspection.

MODELS

SR 2.4

Pixel Pitch 2.4 mm

SR 3.2

Pixel Pitch 3.2 mm

SR 4

Pixel Pitch 4 mm

SR 5.14

Pixel Pitch 5.14 mm

Advertising & Digital Signage

Indoor Fixed LED - SR Series



Advertising & Digital Signage

Architectural LED - E- Series

Indoor and Outdoor Mesh

- Indoor & Outdoor curtain display
- Significantly high contrast ratio
- High gray scale and refresh rate
- Floor and column installation
- Easy to transport & install.
- Easy for maintenance

Super Light, Saving Cost



Aluminum profile, only 6.8kg/panel, 18kg/m2, 80mm thick, over 60% lighter and 50% thinner than the traditional product, lowering bearing requirement significant and making installation and uninstallation; 18% Penetration rate, good for reducing wind resistance and cooling the screen.

High Contrast Ratio, Crystal clear performance

Innovative mask design, with 3535 black body SMD, improve the contrast ratio significantly.

MODELS



E 7.5

Pixel Pitch 7.5 mm

E 15.625

Pixel Pitch 15.625 mm

E 31.25

Pixel Pitch 31.25 mm

Advertising & Digital Signage

Architectural LED - E- Series

Advertising & Digital Signage

AVeen Displays help delevering the targeted message with high quality video, images and text

- An elegant apperance
- Variable size
- Integrated design, with a floor stand

Digital Signage Solution

Outdoor - L Series

The AVeen Advantage

- Solutions from an international sales team that understands your needs.
- A nationwide service and support team available 24/7.

Advertising & Digital Signage

Digital Signage Solutions

The best Advertising choice for the mobile Internet era

- Managing multiple displays via cable, 3G, 4G, WAN and LAN
- Plug-in to use
- Floor and column installation
- Easy to transport & install
- Easy for maintenance
- Weatherproof 3.9 & 6.25 mm pixel pitch display

Real-time Monitoring, Everything Under Control

- Real-time receiving card, module, power, temperature monitoring
- Monitoring via PC, iPad, iPhone and Android

Integrated Design, Easy To Use

- Operation controller inside, ready to go.
- Both ßoor and column installation types possible.
- Suitable for different environments.

Floor installation

Column installation

MODELS

L 3.9

Pixel Pitch 3.9 mm

L 6.25

Pixel Pitch 6.25 mm

Advertising & Digital Signage

Digital Signage Solutions